

FiberFlex 30D

Safety Data Sheet of **Fiberlogy FiberFlex 30D** according to Regulation (EC) No. 1907/2006 (REACH), Regulation UE 878/2020 in the current version.

Update: 13 December 2024 r.

## 1. IDENTYFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

### 1.1. PRODUCT IDENTIFIER

Fiberlogy FiberFlex 30D

### 1.2. RELEVANT IDENTIFIED OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

**Application:** Filament used for 3D printing

Uses advised against: Undefined

### 1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Fiberlab S.A. Brzezie 387, 32-014 Brzezie, Polska

## 1.4. EMERGENCY TELEPHONE NUMBER

112 (Europe)

# 2. HAZARDS IDENTYFICATION

## 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

According to the Regulation (WE) no. 1272/2008 (CLP): Product is not classified as hazardous.

## 2.2. LABEL ELEMENTS

According to the Regulation (WE) no. 1272/2008 (CLP): Product is not classified as hazardous

Hazard pictograms and signal word:

Dangerous components placed on the label:

None
Hazard statements:

None
Precautionary statements:

None

## 2.3. OTHER HAZARDS

According to Regulation (EC) No. 1272/2008 (CLP): No specific cases known if there are specific storage and handling regulations/recommendations. How to identify the dust as it can be caused by slight irritation to the eyes, skin and respiratory system.



## 3. COMPOSITION / INFORMATION ON INGRIDIENTS

#### 3.1. SUBSTANCES

#### 3.2. MIXTURES

Substance	Number CAS.	Weight (%)
1,4-Benzenedicarboxylic acid	9078-71-1	>97
dimethyl ester polymer with		
1,4-butanediol and $\alpha$ -		
hydro—ω-hydroxypoly (oxy -		
1,4- butanediyl)		
Additives	-	2-3

### 4. FIRST AID MEASURES

### 4.1. DESCRIPTION OF THE FIRS AID MEASURES

Inhalation: Move exposed person to fresh air in case of accidental inhalation of

dust or fumes from overheating or combustion. Consult a physician

after significant exposure.

Skin contact: Cool skin rapidly with cold water after contact with molten polymer.

Do not peel polymer from the skin. Obtain medical attention

Eye contact: Immediately flush eyes with plenty of water for at least 20 minutes.

Get medical attention if symptoms occur.

Ingestion: Do not induce vomiting unless directed by medical personnel. Never

give anything by mouth to an unconscious person. Get medical

attention if symptoms occur.

Information for medical: Treat symptoms.

## 4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACCUTE AND DELAYED

Symptoms: No significant body reactions to the product.

Threats: Risk of skin burns caused by hot melt if handled incorrectly. In addition,

no hazards are anticipated with intended use and correct handling.

## 4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED



FiberFlex 30D

Continuation of first aid measures. Treatment as prescribed by the doctor.

#### 5. FIREFIGHTING MEASURES

### 5.1. EXTINGUISHING MEDIA

Suitable extinguishing agents:: water, foam, dry powder, carbon dioxide.

Unsuitable extinguishing media: direct stream of water.

#### 5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

No data available.

#### 5.3. ADVICE FOR FIREFIGHTERS

Provide/wear protective breathing apparatus.

The degree of risk depends on the burning substance and fire conditions.

In case of combustion, formation of toxic gases/vapours is possible. Dispose of fire residues and contaminated extinguishing water in accordance with applicable regulations.

#### 6. ACCIDENTAL RELEASE MEASURES

## 6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Keep away from sources of ignition. Avoid contact with skin and eyes. Avoid breathing dust. Wear dust masks and safety glasses if necessary.

## **6.2. ENVIRONMENTAL PRECAUTIONS**

It should not be released into the environment.

## 6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Sweep up and collect. Avoid raising dust. Provide adequate ventilation. Dispose of absorbed material in accordance with local regulations.

### 6.4. REFERENCE TO OTHER SECTIONS

Information on exposure controls/personal protection and disposal is available in the section 8 and 13.

## 7. HANDLING AND STORAGE

#### 7.1. PRECAUTIONS FOR SAFE HANDLING

Use the product in accordance with its intended use and the rules of occupational health and safety. Set up processing machines in a well-ventilated room. Avoid formation and deposition of dust. Follow the rules of occupational health and safety.



FiberFlex 30D

Measures to prevent the formation of aerosols and dust: maintain good standards of cleanliness to prevent dust accumulation.

## 7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Information on fire and explosion protection: General fire safety rules should be followed.

In case of dust formation: Take measures to prevent electrostatic charging.

Avoid all sources of ignition: heat, sparks, open flames.

<u>Storage</u>: Well sealed/packaged, cool and dry place. Protect against moisture, direct strong sunlight and high temperature. Contamination with other substances should be avoided. Storage together with hazardous substances should be avoided.

## 7.3. SPECIFIC END USE(S)

For the relevant identified uses listed in section 1, the guidance listed in this section should be followed.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. CONTROL PARAMETERS

The product does not contain any significant amounts of materials with occupational exposure limits.

# 8.2. EXPOSURE CONTROLS

Personal protective equipment:

Respiratory protection: respiratory protection if dusts are formed. particulate filter (type P1).

**Hand protection :** wear additional heat protection gloves when working with hot molten masses (EN 407).

Eye protection: safety glasses with side shields (frame goggles) (e.g. EN 166),

**Body protection**: Body protection must be selected depending on the activity and possible exposure, e.g. apron, safety boots, chemical protection suit.

**General safety and hygiene measures**: avoid contact of the molten material with the skin. Avoid inhalation of dusts/mists/vapours. Eyewash fountains and safety showers must be easily accessible. Follow industrial hygiene and safety rules.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES



FiberFlex 30D

Physical state Solid

Colour By assortment

Odour Light 174°C Melting point / freezing point **Boiling point** No data No data Flammability Lower and upper explosion limit No data 384°C Flash point Auto-ignition temperature No data Decompositin temperature No data No data Kinematic viscosity No data Solubility Insoluble Vapour pressure No data Density and / or relative density No data Relative vapour density No data

Particle characteristics Filament shape

### 9.2. OTHER INFORMATION

## 9.2.1. Information with regard to physical hazard classes

Protection against contact with molten material during printing

# 9.2.2. Other safety characteristics

See section 8

## 10. STABILITY AND REACTIVITY

# 10.1. REACTIVITY

No response when stored and handled as directed.

## 10.2. CHEMICAL STABILITY

The product is stable when stored and used as directed.

## 10.3. POSSIBILITY OF HAZARDOUS REACTIONS

None, the product is stable when stored and used as directed/indicated.

## 10.4. CONDITIONS TO AVOID

Avoid all sources of ignition: heat, sparks, open flames. Protect against moisture. Protect from temperatures above the decomposition temperature

## 10.5. INCOMPATIBLE MATERIALS



Strong oxidizing agents.

### 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

In case of long-term and/or strong thermal load above the decomposition environment, dangerous decomposition products may be formed (carbon monoxide, carbon dioxide, nitrogen oxides, organic decomposition products.

## 11. TOXICOLOGICAL INFORMATION

## 11.1. INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) No. 1272/2008

## 11.1.1. Acute toxicity:

Oral: Not classified

Skin: Not classified

Inhalation: Not classified

## 11.1.2. Skin Corrosion / irritation:

No data.

## 11.1.3. Serious eye damage / irritation:

No data.

## 11.1.4. Respiratory or skin sensitization:

No data.

## 11.1.5. Germ cell mutagenicity:

Product: not classified

## 11.1.6. Carcinogenicity:

Not classified

## 11.1.7. Reproductive toxicity:

No data / not classified

# 11.1.8. STOT – single exposure:

No data

# 11.1.9. STOT – repeated exposure:

No data



## 11.1.10. Aspiration hazard:

No data

### 11.2. INFORMATION ON OTHER HAZARDS:

Product dust may be irritating to the eyes, skin and respiratory system. Resin particles, like other inert materials, cause mechanical irritation to the eyes. Ingestion may irritate the digestive system, cause nausea, vomiting and diarrhea.

### 12. ECOLOGICAL INFORMATION

### **12.1. TOXICITY**

Do not allow the product to enter the sewage system, surface water or soil. Small particles can physically affect aquatic and terrestrial organisms. Toxicity to fish: the product itself has not been tested.

### 12.2. PERSISTENCE AND DEGRADIBILITY

Persistent.

### 12.3. BIOAKUMULATIVE POTENTIAL

No data.

#### 12.4. MOBILITY IN SOIL

No data.

#### 12.5. RESULTS OF PBT AND VPVB ASSESSMENT

Product does not contain ingredients, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation..

## 12.6. ENDOCRINE DISRUPTING PROPERTIES

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

## 12.7. OTHER ADVERSE EFFECTS

No data.

## 13. DISPOSTAL CONSIDERATIONS

#### 13.1. WASTE TREATMENT METHODS





Recycling is recommended and all national and local regulations must be followed.

### 14. TRANSPORT INFORMATION

Not classified as dangerous goods according to transport regulations (ADR RID, ADN, IMDG).

#### 14.1. UN NUMBER OR ID NUMBER

Not applicable.

#### 14.2. UN PROPER SHIPPING NAME

Not applicable.

## 14.3. TRANSPORT HAZARD CLASS(ES)

Not applicable.

#### 14.4. PACKING GROUP

Not applicable.

## 14.5. ENVIRONMENTAL HAZARDS

Not applicable.

# 14.6. SPECIAL PRECAUTIONS FOR USER

Not applicable.

### 14.7. MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS

Not applicable.

#### 15. REGULATORY INFORMATION

# 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS / LEGISTATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE

## Some selected:

**2020/878/UE** – Regulation of the European Commission of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

**1907/2006/WE** – Regulation on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulations EEC No 793/93 and No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives: 91/155/EEC; 93/67/EEC; 93/105/EC; 2000/21/EC and later. changes.





**1272/2008/WE** – Regulation of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending Regulation EC 1907/2006.

### 15.2. CHEMICAL SAFETY ASSESSMENT

A chemical safety assessment is not required for the mixture.

The SDS for this product is not legally required and is provided by us as a courtesy to our customers. The product is not classified as dangerous. A chemical safety assessment is not required.

#### 16. OTHER INFORMATION

The data contained in this safety data sheet is based on our current knowledge and experience and describes the product only in relation to safety requirements.

Information provided on the basis of reference materials provided by raw material suppliers. According to the knowledge of Fiberlab S.A. they are reliable. These data are informative. Fiberlab S.A. does not provide any guarantees and is not responsible for the processing of the material, which may affect the final properties of the product, which may differ from the values given in this document.

